



FIN-Window Classic-line 77+8
aluminium-uPVC

Single-family house near Turnhout

Industrial-loft style with windows and entry door by Finstral.

A new build in classic style: with its striking brick façade, this clinker construction sits majestically amidst the countryside. Its jet-black windows with attached glazing bars in Classic-line frame design create an authentic old building appearance on the exterior, while making a decisive contribution to the building's industrial-loft charm. On the interior, uPVC frames in satin grey continue the style of both the windows and the large lift-and-slide door. The entry door, in elegant black with symmetrically arranged rectangular forms and fanlights, perfectly matches the industrial design of the windows with their glazing bars.

Finstral's attached glazing bars look just like the real thing, because they are not only glued to the exterior of the panes – they are also echoed with spacers in the insulation glass. As a result, no adhesive surfaces are visible and the window looks as if the glazing bars are really dividing the glass – thus creating a modern home in industrial style.

Type of building Single-family dwelling
Construction 2020
Project Planning New build/conversion
GROT architecten

Country Belgium
Region Antwerp
City Turnhout
Photographer François Falier



Finestra
Rubensstraat 20
2300 TURNHOUT
Belgium
+3214425825
info@finestra.be
www.finestra.be





Single-family house near Turnhout

Industrial-loft style with windows and entry door by Finstral.

www.finstral.com/en/references/single-family-house-near-turnhout/311-11731.html

















Single-family house near Turnhout

Industrial-loft style with windows and entry door by Finstral.

www.finstral.com/en/references/single-family-house-near-turnhout/311-11731.html

Products used

U_w - Heat transmittance coefficient of window element

R_w - Sound insulation properties of a window

npd - No performance determined



FIN-Window Classic-line 77+8

aluminium-uPVC

U_w 1-sash 2-/3-glazing:

1,2 / 0,77 W/m²K

U_w 2-sash 2-/3-glazing:

1,3 / 0,88 W/m²K

R_w Standard:

32 (-2;-6) db

R_w Best value:

45 (-1;-3) db



FIN-Slide Step-line 158/168

aluminium-uPVC

U_w 1-sash 2-/3-glazing:

1,3 / 0,81 W/m²K

U_w 2-sash 2-/3-glazing:

1,4 / 0,92 W/m²K

R_w Best value:

43 (-1;-5) db

Product data sheets and more information at
www.finstral.com/range